# **Patent Assignment Abstract of Title**

Total Assignments: 1

**Application #:** 10621652 **Filing Dt:** 07/18/2003

Patent #: NONE

**Issue Dt:** 

PCT #: NONE

Publication #: US20040067328 Pub Dt: 04/08/

Inventors: Hiroaki Taniuchi, Jun Shimojo, Yutaka Sugihara, Eiji Owaki, Reiko Okamoto

Title: Cement composite, concrete, concrete cask and method of manufacturing concrete

Assignment: 1

**Reel/Frame:** <u>014424/0516</u> Received: 08/28/2003

**Recorded:** 08/25/2003

Mailed: 03/17/2004 Pag

Conveyance: ASSIGNMENT OF ASSIGNORS INTEREST (SEE DOCUMENT FOR DETAILS).

Assignors: TANIUCHI, HIROAKI

SHIMOJO, JUN

SUGIHARA, YUTAKA

OWAKI, EIJI

OKAMOTO, REIKO

**Exec Dt:** 07/23/2003 Exec Dt: 07/23/2003 Exec Dt: 07/25/2003

**Exec Dt:** 07/25/2003

**Exec Dt:** 07/25/2003

Assignees: KABUSHIKI KAISHA KOBE SEIKO SHO

10-26, WAKINOHAMACHO 2-CHOME

CHUO-KU, KOBE-SHI

HYOGO 651-8585, JAPAN

TAISEI CORPORATION

25-1, NISHISHINJUKU 1-CHOME

SHINJUKU-KU TOKYO, JAPAN

Correspondent: OBLON, SPIVAK, MCCLELLAND ET AL.

1940 DUKE STREET

ALEXANDRIA, VA 22314

Search Results as of: 6/1/2005 8:38:57 A.M.

# **Refine Search**

#### Search Results -

Terms	Documents	
L2 and (iron or ferr\$3)	3	

US Pre-Grant Publication Full-Text Database

US Patents Full-Text Database
US OCR Full-Text Database


Database:

EPO Abstracts Database

JPO Abstracts Database
Derwent World Patents Index

IBM Technical Disclosure Bulletins

Search:











### **Search History**

# DATE: Wednesday, June 01, 2005 Printable Copy Create Case

Set Name side by side	Query	<u>Hit</u> <u>Count</u>	Set Name result set
DB=I	OWPI; PLUR=YES; OP=ADJ		
<u>L3</u>	L2 and (iron or ferr\$3)	3	<u>L3</u>
<u>L2</u>	L1 and portland cement	38	<u>L2</u>
<u>L1</u>	taisei.pa. or kabushiki.pa. or taniuchi-\$.in. or shimojo-\$.in. or sugihara-\$.in. or owaki-\$.in. or okamoto-\$.in.	12671	<u>L1</u>

#### **END OF SEARCH HISTORY**

## Freeform Search

Database:

US Pre-Grant Publication Full-Text Database
US OCR Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

L3 and (hydroxide or pH)

Term:

Display:

10 Documents in Display Format: REV Starting with Number 1

Generate: O Hit List Hit Count O Side by Side O Image

Search Clear Literrupt

## **Search History**

DATE: Wednesday, June 01, 2005 Printable Copy Create Case

Set Name side by sid		Hit Count	Set Name result set
DB=D	WPI; PLUR=YES; OP=ADJ		
<u>L4</u>	L3 and (hydroxide or pH)	8	<u>L4</u>
<u>L3</u>	L2 and (iron with powder\$2)	61	<u>L3</u>
<u>L2</u>	L1 and (@PY<2003)	80	<u>L2</u>
<u>L1</u>	portland cement and ((iron or ferr\$4) with powder)	87	<u>L1</u>

END OF SEARCH HISTORY

e / E-leader to the state of th	**	PALM	INTRANET
--	----	------	----------

Day: Wednesday Date: 6/1/2005 Time: 08:39:54

# **Inventor Information for 10/621652**

Inventor Name	City		State/C	Country
TANIUCHI, HIROAKI	TAKASAGO-SHI		JAPAN	Ţ
SHIMOJO, JUN	TAKASAGO-SHI		JAPAN	
SUGIHARA, YUTAKA	ICHIKAWA-SHI		JAPAN	
OWAKI, EIJI	YOKOHAMA-SHI		JAPAN	
OKAMOTO, REIKO	KAWASAKI-SHI	-	JAPAN	
Appln Info   Contents   Petition In	o Atty/Agent Info	Continuity	Data	Foreign Data
Search Another: Application# or Patent# Search				
PCT / Search or PG PUBS # Search				
Attorney Docket # Search				
Bar Code #	Searc	h		

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

# Freeform Search

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

L9 and (silica with fume\$1)

Term:

Display:

10 Documents in Display Format:
Generate:
C Hit List © Hit Count C Side by Side C Image

Search Olean Interrupts

## **Search History**

DATE: Wednesday, June 01, 2005 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=PGPB	B, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR = Y	ES; OP=ADJ	
<u>L10</u>	L9 and (silica with fume\$1)	1	<u>L10</u>
<u>L9</u>	L1 and ferroboron	14	<u>L9</u>
<u>L8</u>	L7 and ferroboron	0	<u>L8</u>
<u>L7</u>	L6 and (silica with fume\$1)	81	<u>L7</u>
<u>L6</u>	L5 and silica	204	<u>L6</u>
<u>L5</u>	L4 and (@PY<2003)	246	<u>L5</u>
<u>L4</u>	L3 and (hydroxide or pH)	299	<u>L4</u>
<u>L3</u>	L2 and hydrat\$3	416	<u>L3</u>
<u>L2</u>	L1 and ((iron or ferr\$3) with powder\$2)	883	<u>L2</u>
<u>L1</u>	portland cement	24514	<u>L1</u>

**END OF SEARCH HISTORY**